


ENGINE LONG BLOCK								
LITER / CID	CYL	YEAR	VIN	DESCRIPTION	HEAD CAST #	BLOCK CAST #	ENGINE PART #	
CADILLAC								
2.0 / 122	L4	15-13	X	ATS, CTS, DOHC, 16 Valves, FI, Turbo, Gas, LTG			CA105	
2.0 / 122	L4	86-84	P	Cimarron, OHV, 8 Valves, FI, Naturally Aspirated, Gas, No Vacuum Pump Hole in Block, Cast Iron Head	041, 265	546, 238, 080	CA110	
2.0 / 122	L4	85-83	P	Cimarron, OHV, 8 Valves, FI, Naturally Aspirated, Gas, VACUUM PUMP HOLE IN BLOCK, CAST IRON HEAD	041, 265	747, 051, 080	CA115	
2.5 / 150	L4	14-13	A	ATS, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, LCV, Fed NT7 or Cali NU5, No SMOG Dual V.V.T.			CA120	
2.5 / 150	L4	14-13	A	ATS, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, LCV, Cali NU6 With SMOG, Dual V.V.T.			CA125	
2.5 / 150	L4	13	A	ATS, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, LCV, No SMOG, NT7, NU5, Dual V.V.T.	12648918		CA130	
2.5 / 150	L4	13	A	ATS, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, LCV, With SMOG			CA135	
2.8 / 170	V6	07-05	T	CTS, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, LP1 Engine			CA140	
2.8 / 173	V6	88-87	W	Cimarron, OHV, 12 Valves, FI, Naturally Aspirated, Gas, Aluminum Heads, Trigger Fire Ignition, Valley Pan Gasket Not Included, FWD	651, 696, 834	459, 219	CA145	
2.8 / 173	V6	86-85	W	Cimarron, OHV, 12 Valves, FI, Naturally Aspirated, Gas, No Fuel Pump Hole, FWD	877, 879, 884	91820, 72065, 369	CA150	
3.0 / 182	V6	14-12	5	CTS, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, LFW	12611610, 12611611	12610176	CA155	
3.6 / 217	V6	14-13	3	ATS, CTS, DOHC, 24 Valves, FI, Naturally Aspirated, Flex, LFX, Cali. Emissions NU6 Engine			CA165	
3.6 / 217	V6	11-10	D, V	CTS, STS, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, LLT, Direct Fuel Injection, Timing Cover Cast #12637434	12590609, 12590614, 12617771	12629402	CA170	
3.6 / 217	V6	09-07	7	CTS, SRX, STS, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, With Crank Key, 4 V.V.T., 4 Cam Sensors, Timing Cover Cast #12610032	12591206, 12591207	12600129, 12601922	CA175	
3.6 / 217	V6	09-08	V	CTS, STS, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, LLT, Direct Fuel Injection, Dual V.V.T., Timing Cover Cast #12610032	12590609, 12590614, 12617771	12601922, 12629401	CA180	
3.6 / 217	V6	07	7	CTS, SRX, STS, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, No Crank Key, 4V.V.T., 4 Cam Sensors	12591206, 12591207	12600129	CA185	
3.6 / 217	V6	06-04	7	CTS, SRX, STS, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, High Mount W/P, Idler Mount on Left T/C	12581596, 12581597	12586559	CA190	
4.1 / 252	V6	82-80	4	DeVille, Eldorado, Fleetwood, Seville, OHV, 12 Valves, Carb, Naturally Aspirated, Gas, 14 Bolt Oil Pan, No Valley Pan Gskt Included, Knock Sensor Hole in Rear of Block	5900, 6293, 8445	6484, 5553, 4291	CA195	
4.1 / 252	V6	82-80		DeVille, Eldorado, Fleetwood, Seville, OHV, Carb, Naturally Aspirated, Gas, Oil Pan, T/C, V/C & Oil Pump Installed, No Valley Pan Gskt Included & Valley Pan Gskt Not Included, Use Original Oil Pan	5900, 6293, 8445	6484, 5553, 4291	CA200	
4.6 / 281	V8	11-06	6, Y	DTS, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, LD8, LD8 Engine			CA205	
4.6 / 281	V8	11-06	9, S	DTS, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, L37, L37 Engine			CA210	
4.6 / 281	V8	05-04	A	SRX, STS, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, LH2 Engine, 12584582/12569094 Cast Front Cover			CA215	
4.6 / 281	V8	05-04	A	SRX, STS, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, LH2 Engine, 12569092 Cast Front Cover			CA220	



ENGINE LONG BLOCK							
LITER / CID	CYL	YEAR	VIN	DESCRIPTION	HEAD CAST #	BLOCK CAST #	ENGINE PART #
CADILLAC [continued]							
4.6 / 281	V8	11-06	9, S	DTS, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, L37, L37 Engine			CA210
4.6 / 281	V8	05-04	A	SRX, STS, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, LH2 Engine, 12584582/12569094 Cast Front Cover			CA215
4.6 / 281	V8	05-04	A	SRX, STS, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, LH2 Engine, 12569092 Cast Front Cover			CA220
4.6 / 281	V8	05-03	9	DeVille, Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, .670" Crank Sensor Hole, 3 Bolt Oil Filter Adapter, L37 Eng.	12569205, 12585774	12563924	CA225
4.6 / 281	V8	05-03	Y	DeVille, Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, .670" Crank Sensor Hole, 3 Bolt Oil Filter Adapter, LD8 Eng.	12569205, 12585774	12563924	CA230
4.6 / 281	V8	02-00	9	DeVille, Eldorado, Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, L37 Eng. 2 Bolt Oil Filter Adptr, 8mm Thread Knock Sensor	402, 403	71852, 57805	CA235
4.6 / 281	V8	02-00	Y	DeVille, Eldorado, Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, LD8 Engine, 8mm Thread Knock Sensor	402, 403	71852, 57805	CA240
4.6 / 281	V8	02-00	9, Y	DeVille, Eldorado, Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas	12555402, 12555403	12557805, 12571852	CA245
4.6 / 281	V8	99-96	9	DeVille, Eldorado, Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, L37 Eng.	607, 990	805, 058, 471	CA250
4.6 / 281	V8	99-96	Y	DeVille, Eldorado, Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, LD8 Eng.	607, 989, 990	805, 058, 471	CA255
4.6 / 281	V8	99-98	9	Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, .600" Crank Sensor Hole, L37 Eng.	12554607, 3533990	12557805	CA260
4.6 / 281	V8	99-98	Y	Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, .600" Crank Sensor Hole, 14mm x 1.5 Crank Bolt, LD8 Eng.	12554607, 3533990	12557805	CA265
4.6 / 281	V8	99-96		DeVille, Eldorado, Seville, DOHC, 32 Valves, FI, Naturally Aspirated, Gas			CA270
5.0 / 305	V8	92-91	E	Brougham, OHV, 16 Valves, FI, Naturally Aspirated, Gas, 1 Piece Rear Seal, Roller Cam, V/C Bolts thru Center of Cover	2187	627, 058	CA275
5.0 / 305	V8	92-91	E	Brougham, OHV, 16 Valves, FI, Naturally Aspirated, Gas, With Valve Covers, Timing Cover & Oil Pan, Roller Cam, V/C Bolts thru Center of Cover	2187	627, 058	CA280
5.0 / 307	V8	90-86	9, Y	Brougham, Fleetwood, OHV, 16 Valves, Carb, Naturally Aspirated, Gas, Roller Camshaft, Valley Pan Gasket Not Included, SMOG Holes Over Each Exhaust Port	0142, 7A	4790, 6509	CA285
5.3 / 325	V8	05-02	T	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, LM7, With .8570" Crank End Flange, LM7 Engine Family, 3 Bolt Cam Gear, Advisory: check PCV operation at risk of oil consumption TSB #PIP4492K	58862, 59862, 61706	12551358, 67392, 393, 398	CA290
5.3 / 325	V8	05-02	T	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, LM7, High Performance Cam Version, With .8570" Width Rear Flange, LM7 Engine Family, 3 Bolt Cam Gear, Advisory: check PCV operation at risk of oil consumption TSB #PIP4492K, Applications Not Verified, Not Legal for Pollution Controlled Vehicles. Computer Controlled Vehicles May Need Updated Chips. See Warranty Details for Complete Terms & Conditions.	706, 862	358, High Performance Build, ECM Must Be Tuned, Custom Camshaft & Valve Springs	CA295
5.3 / 325	V8	05-02	T	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, LM7, With .8570" Width Rear Flange, Includes Tinware, RWD	706, 862	12551358, 392, 393, 398	CA300



ENGINE LONG BLOCK

LITER / CID	CYL	YEAR	VIN	DESCRIPTION	HEAD CAST #	BLOCK CAST #	ENGINE PART #
CADILLAC [continued]							
5.3 / 325	V8	05-02	T	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, LM7, With .8570" Width Rear Flange, Includes Tinware, AWD	706, 862	12551358, 392, 393, 398	CA305
5.7 / 350	V8	00-99	R	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, 2 Bolt Mains, Crank Trigger, Roller Cam, Center Mount V/C	062, 906	880	CA310
5.7 / 350	V8	00-99	R	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, 4 Bolt Mains, Roller Cam, 1 Piece Rear Seal & 1 pcs Rear Seal, V/C Mounts thru Center, Center Bolt V/C & SAE Thread Block	8062, 9906	3880	CA315
5.7 / 350	V8	00-99	R	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, HDE: (High Durability Engine), 4 Bolt Mains, T/C, V/C & Oil Pan Installed, Over 8500 GVW, No By-Pass @ W/P, Oil Level Sensor M20x1.5 Thread in Pan	8062, 9906	3880, High Durability Build	CA320
5.7 / 350	V8	00-99	R	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, 315 HP/400 Ft. Trq, 4 Bolt Mains w/RV Cam, Vortec Heads, Chrome V/C, Plastic T/C, ECM Must be Tuned!, Applications Not Verified, Not Legal for Pollution Controlled Vehicles. Computer Controlled Vehicles May Need Updated Chips. See Warranty Details for Complete Terms & Conditions.	862, 906	880, High Performance 315 HP/400Trq, 4 Bolt Main	CA325
5.7 / 350	V8	00-99	R	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, 2 Bolt Mains, Roller Cam, w/Tinware, Plastic T/C w/Crank Sensor, Center Bolt Mount V/C	062, 906	880	CA330
5.7 / 350	V8	00-99	R	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, Gas, Includes Timing Cover, Oil Pan & Valve Covers, 4 Bolt Mains, SAE Thread Block, Roller Cam, 1 pcs Rear Seal, V/C Mounts thru Center	8062, 9906	3880	CA335
5.7 / 350	V8	96-94	P	Commercial Chassis, Fleetwood, OHV, 16 Valves, FI, Naturally Aspirated, Gas, With Roller Cam & Cast Iron Heads, Valve Cover Bolts Thru Center, LT-1	320	327	CA340
5.7 / 350	V8	96	P	Fleetwood, OHV, 16 Valves, FI, Naturally Aspirated, Gas, 2 Bolt Mains, 1 Piece Rear Seal, Center Mount V/C, Iron Heads, LT-1 Roller Cam	290	327	CA345
5.7 / 350	V8	93-90	7	Brougham, Commercial Chassis, Fleetwood, OHV, 16 Valves, FI, Naturally Aspirated, Gas, 2 Bolt Mains, Roller Cam, Center Bolt Mount V/C	191, 193	638, 727, 732, 148, 880	CA350
5.7 / 350	V8	80-76	8, B, R	Eldorado, Seville, OHV, 16 Valves, FI, Naturally Aspirated, Gas, R Type Original Olds Engine, With SMOG, Valley Pan Not Included, SMOG Holes Can Be Plugged	554716	5577523B, 554964A	CA355
5.7 / 350	V8	80-76	8, B, R	Eldorado, Seville, OHV, 16 Valves, FI, Naturally Aspirated, Gas, R Type Original Olds Engine, No SMOG, Valley Pan Not Included	554716	5577523B, 554964A	CA360
6.0 / 364	V8	13-09	5, J	Escalade, OHV, 16 Valves, FI, Naturally Aspirated, ELECTRIC/FLEX & Electric/Gas, LFA & LZ1, With D.O.D. (Cylinder Deactivation), Aluminum Block & Heads, Advisory: check PCV operation at risk of oil consumption TSB #PIP4492K			CA365
6.0 / 364	V8	07	U	CTS, OHV, 16 Valves, FI, Naturally Aspirated, Gas, LS2 Engine, Advisory: check PCV operation at risk of oil consumption TSB #PIP4492K	12564243, 243, 799		CA370
6.0 / 364	V8	06-02	N	Escalade, Escalade ESV, Escalade EXT, OHV, 16 Valves, FI, Naturally Aspirated, Gas, LQ9 Engine, Iron Block & Alumn Heads, Crank End Flange 0.857", Advisory: check PCV operation at risk of oil consumption TSB #PIP4492K	62317, 72035	1364	CA375
6.2 / 376	V8	15	J	Escalade, Escalade ESV, OHV, 16 Valves, FI, Naturally Aspirated, Flex, L86	12620214		CA380
6.2 / 376	V8	14-10	F	Escalade, Escalade ESV, Escalade EXT, OHV, 16 Valves, FI, Naturally Aspirated, Flex, L94, With D.O.D. (Cyl. Decativation) & V.V.T.	95364	60531	CA385
6.2 / 376	V8	09	2	Escalade, Escalade ESV, Escalade EXT, OHV, 16 Valves, FI, Naturally Aspirated, Flex, L9H, Non-D.O.D. (Cyl. Decativation), With V.V.T., Advisory: check PCV operation at risk of oil consumption TSB #PIP4492K	12600821		CA390
6.2 / 376	V8	08-07	8	Escalade, Escalade ESV, Escalade EXT, OHV, 16 Valves, FI, Naturally Aspirated, Gas, L92, Non-D.O.D. (Cyl. Decativation), With V.V.T., Advisory: check PCV operation at risk of oil consumption TSB #PIP4492K	12600821		CA395