


ENGINE LONG BLOCK							
LITER / CID	CYL	YEAR	VIN	DESCRIPTION	HEAD CAST #	BLOCK CAST #	ENGINE PART #
HYUNDAI							
/		05-04		Accent, FI, Naturally Aspirated, Gas, G4EB 1.5 SOHC 12 Valve, Crank Sensor Mounts on Block, Cam Sensor Mounts End of Head, No M/M Mount on Right Rear of Block	LC15L	G4EB	HY105
1.5 / 1468	L4	94-90	J	Excel, Scoupe, SOHC, 8 Valves, FI, Naturally Aspirated, Gas, No MCA Jet, Timing Gears Belt & Tensioner Installed	G15B	G4DJ, 4G15	HY110
1.5 / 1468	L4	89-86	J	Excel, SOHC, 8 Valves, Carb, Naturally Aspirated, Gas, With MCA Jet, W/P, Timing Gears Belt & Tensioner Installed, FWD	G15B	G4AJ/G15B	HY115
1.5 / 1495	L4	03-00	G, N	Accent, SOHC, 12 Valves, FI, Naturally Aspirated, Gas, Crank Sensor Mounts on Block & Crank Sensor Mounts on Block, Cam Sensor Mounts End of Head, Cam Sensor Mounts End of Head & Hydraulic Lifters & Roller Rockers, Hydraulic Lifters & Roller Rockers & No M/M Mount on Right Rear of Block, No M/M Mount on Right Rear of Block & Water Pump, Timing Gears Belt & Tensioner Installed	LC15L	G4EB	HY120
1.5 / 1495	L4	99-95	N	Accent, SOHC, 12 Valves, FI, Naturally Aspirated, Gas, G4EK, Crank Sensor on Block & From 8/94, Crank Sensor on Block & Thru 9/99, Crank Sensor on Block, Cam Sensor End of Head, Hydraulic Lifters & Roller Rockers, Water Pump, Timing Gears Belt & Tensioner Installed		G4EK	HY125
1.5 / 1495	L4	99-95	N	Accent, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4EK, Crank Sensor in Block & DOHC 16 Valve & DOHC 16 Valve, Crank Sensor in Block, Cam Sensor in Head & Crank Sensor in Block, Cam Sensor in Head, W/P, Timing Gears Belt & Tensioner Installed		G4EK	HY130
1.5 / 1495	L4	95		Scoupe, SOHC, 12 Valves, FI, Gas, Cam Sensor End of Head, Non-Turbo		G4EK	HY135
1.5 / 1495	L4	95-94	N	Scoupe, SOHC, 12 Valves, FI, Turbo, Gas, G4EK Engine, Hydraulic Lifters & Roller Rockers, Crank Sensor on Flywheel, Cam Sensor in Head, No Distributor, From 4/94		G4EK	HY140
1.5 / 1495	L4	94-93	J	Scoupe, SOHC, 8 Valves, FI, Naturally Aspirated, Gas, No MCA Jet, Timing Gears Belt & Tensioner Installed	G15B	G4DJ, 4G15	HY145
1.6 / 97	L4	14-12	D, E	Accent, Veloster, DOHC, 16 Valves, FI, Naturally Aspirated, Gas			HY150
1.6 / 97	L4	14-13	E	Veloster, DOHC, 16 Valves, FI, Turbo, Gas			HY155
1.6 / 1596	L4	95-92	R	Elantra, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, W/P, Timing Gears Belt & Tensioner Installed	1.6L	4G61, G4CR	HY160
1.6 / 1599	L4	11-06	C	Accent, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, CVVT, Alpha II		G4ED	HY165
1.6 / 1600	L4	05-01	C	Accent, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4ED Engine	LC4V	G4ED, LC-1.6D	HY170
1.8 / 1795	L4	97-96	M	Elantra, Tiburon, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, NON VVT, CRANK SENSOR EXHAUST SIDE REAR OF BLOCK, CAM SENSOR BEHIND CAM GEAR	1.8/2.0L, 7C	G4GM, RD18	HY175
1.8 / 1796	L4	98	M	Elantra, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4CN, NON VVT, CRANK SENSOR EXHAUST SIDE REAR OF BLOCK, CAM SENSOR BEHIND CAM GEAR	1.8/2.0L, 7C	G4GM, RD18	HY180
1.8 / 1797	L4	13-11	E	Elantra, DOHC, 16 Valves, FI, Naturally Aspirated, Gas			HY185
2.0 / 122	L4	15-13	A	Santa Fe, DOHC, 16 Valves, FI, Turbo, Gas			HY190
2.0 / 122	L4	15	B	Sonata, DOHC, 16 Valves, FI, Turbo, Gas			HY195
2.0 / 122	L4	14-11	D	Genesis Coupe, DOHC, 16 Valves, FI, Turbo, Gas, G4KF		G4KF	HY200
2.0 / 122	L4	14-11	B	Sonata, DOHC, 16 Valves, FI, Turbo, Gas			HY205
2.0 / 122	L4	13-10	D	Genesis Coupe, DOHC, 16 Valves, FI, Turbo, Gas, G4KF, Turbo 9.4:1, Non GDI, Dual CVVT, Simless Bucket Lifters		G4KD	HY210
2.0 / 122	L4	11	B	Sonata, DOHC, 16 Valves, FI, Turbo, Gas, Square VVT Oil Holes, Separate M/M from T/C		G4KH	HY215
2.0 / 122	L4	11	B	Sonata, DOHC, 16 Valves, FI, Turbo, Gas, Square VVT Oil Holes, M/M on T/C			HY220
2.0 / 1975	L4	13-11	B	Tucson, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, Dual CVVT, Non-GDI, Non-Turbo, Simless Bucket Lifters		G4KD	HY225
2.0 / 1975	L4	11	B	Tucson, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, From 11/01/09			HY230



ENGINE LONG BLOCK

LITER / CID	CYL	YEAR	VIN	DESCRIPTION	HEAD CAST #	BLOCK CAST #	ENGINE PART #
HYUNDAI [continued]							
2.0 / 1975	L4	10-06	B, D, E	Elantra, Tiburon, Tucson, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, CVVT, Shim Adjustable Bucket Lifters, 8mm Belt Tensioner, From 5/15/2006 & From 7/01/2006 & From 9/01/2006	1.8/2.0L	G4GC, XD20	HY235
2.0 / 1975	L4	06-03	B, D	Elantra, Tiburon, Tucson, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, WITH CVVT, 10mm Belt Tensioner	1.8/2.0L	G4GC, XD20	HY240
2.0 / 1975	L4	03		Elantra, Tiburon, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4CP, Head End Has Wide (4") Cvvt Room	1.8/2.0L	G4GC, XD20	HY245
2.0 / 1975	L4	02-01		Elantra, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4CP, Head End Has Narrow (3") CVVT Room Width	1.8/2.0L	G4GC, XD20	HY250
2.0 / 1975	L4	00-99	F	Elantra, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4CP, Non Cvvt, Crank End Hub 35 MM	1.8/2.0L	G4GF, J220	HY255
2.0 / 1975	L4	99, 97	F	Elantra, Tiburon, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4CP, Non C.V.V.T., CRANK END HUB 41mm	1.8/2.0L	G4GF, J220	HY260
2.0 / 1997	L4	01-99	F	Tiburon, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4CP, Non Cvvt, Crank End Hub 35 MM	1.8/2.0L	G4GF, J220	HY265
2.0 / 1997	L4	99-98	F	Tiburon, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4CP, Non C.V.V.T., CRANK END HUB 41mm	1.8/2.0L	G4GF, J220	HY270
2.0 / 1997	L4	98-96	F	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, G4CP, Curved Bottom Oil Pump, 6 Bolt Flywheel, W/P, Tlming Gears Belt & Tensioner Installed, Crank Sensor on Oil Pump, Cam Sensor on Front of Head - Intake Side	13A, 2P, 2PL	G4CP	HY275
2.0 / 1997	L4	95	F	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, Shallow Intake Ports, No Cam Sensor Boss on Front	2P		HY280
2.0 / 1997	L4	94-92	F	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, 6 Bolt Flywheel, W/P, Timing Gears Belt & Tensioner Installed	2.0L	4G63,G4AP	HY285
2.4 / 2351	L4	06-99	S	Santa Fe, Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, Belt Driven Cam, Intake on Right Side & Intake on Right Side, W/P, Timing Gears Belt & Tensioner Installed, Cast Iron Block (If Aluminum See 270A for 2359CC Engine)	HYUDAI, KIA, S2-2.0/2.4	G4JS, EF 2.4	HY290
2.4 / 2351	L4	91-89	S	Sonata, SOHC, 8 Valves, FI, Naturally Aspirated, Gas, With MCA Jet, Big Oil Pump, W/P, Timing Gears Belt & Tensioner Installed	64	G64B, G4CS	HY295
2.4 / 2359	L4	15-13	B, G	Santa Fe, Tucson, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, Round VVT Oil Holes	22111-2G560 OR THETA-2 GK#	G4KJ	HY300
2.4 / 2359	L4	15	F	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas			HY305
2.4 / 2359	L4	14-11	C	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, Dual CVVT & Dual CVVT, Check Head Cast to Order	22111-2G560 or THETA-2 GK#	G4KJ	HY310
2.4 / 2359	L4	14-11	4	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Electric/Gas, G4KK, Round VVT Oil Holes		G4KK	HY315
2.4 / 2359	L4	13-11	C	Tucson, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, Dual CVVT with Round Oil Holes			HY320
2.4 / 2359	L4	12-11	B	Santa Fe, DOHC, 16 Valves, FI, Naturally Aspirated, Gas			HY325
2.4 / 2359	L4	11-09	B, C	Santa Fe, Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, DUAL CVVT, NO GDI, Square VVT Oil Holes		G4KE	HY330
2.4 / 2359	L4	11-10	C	Tucson, DOHC, 16 Valves, FI, Naturally Aspirated, Gas			HY335
2.4 / 2359	L4	11	C	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, Dual CVVT, Check Head Cast to Order, W/ GDI, SHIMLESS BUCKET LIFTERS	22111-2G510 OR THETA-2 G K#	G4KJ	HY340
2.4 / 2359	L4	11	4	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Electric/Gas, Square VVT Oil Holes		G4KK	HY345
2.4 / 2359	L4	11-10	C	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, T/C cast # 22111-2G510, Dual VVT, G.D.I.	22111-2G510 OR THETA-2 GK#	G4KJ	HY350
2.4 / 2359	L4	08-06	C	Sonata, DOHC, 16 Valves, FI, Naturally Aspirated, Gas, CVVT on Intake, Non G.D.I. & CVVT on Intake, Non G.D.I., To 11/2007, Shimless Bucket Lifters, Aluminum Block	1.8/2.0/2.4L	G4KC	HY355
2.5 / 2493	V6	01-99	V	Sonata, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, Belt & Gear Drive, W/P, Timing Gears Belt & Tensioner Installed		G6BW	HY360
2.7 / 2656	V6	09-01	D, F	Santa Fe, Sonata, Tiburon, Tucson, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, W/P, Timing Gears Belt & Tensioner Installed	2.5/2.7	G6BA	HY365
2.7 / 2656	V6	09-07	D	Santa Fe, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, CVVT for Intake, Aluminum Block & Head, Belt Driven Intake Cam, Chain Driven Exhaust Cam		G6EA	HY370
3.0 / 2972	V6	01		XG300, DOHC, 24 Valves, FI, Naturally Aspirated, Gas		G6CT	HY375
3.0 / 2972	V6	98-96	T	Sonata, SOHC, 12 Valves, FI, Naturally Aspirated, Gas, G6AT, Crank Sensor Mounts to O/P, Cam Sensor Mounts to Front Right Head, Water Pump, Timing Gears Belt & Tensioner Installed		6G72, G6AT	HY380
3.0 / 2972	V6	96-90	T	Sonata, SOHC, 12 Valves, FI, Naturally Aspirated, Gas, Oil Filter & Alternator Mount on Oil Pump, W/P, Timing Gears Belt & Tensioner Installed		6G72, G6AT	HY385
3.3 / 3342	V6	13-12	F, G	Azera, Santa Fe, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, Dual CVVT, Chain Driven Cams		G6DH	HY390

If you do not see your application make sure to call us as we constantly add new SKUs.



ENGINE LONG BLOCK								
LITER / CID	CYL	YEAR	VIN	DESCRIPTION	HEAD CAST #	BLOCK CAST #	ENGINE PART #	
HYUNDAI [continued]								
3.3 / 3342	V6	11	D	Azera, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, DUAL CVVT, CHAIN DRIVE CAMS	2211-3CAH0, 22111-3CAG0	G6DB	HY395	
3.3 / 3342	V6	10-06	D, E, F	Azera, Santa Fe, Sonata, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, CVVT FOR INTAKE, ALUM. BLOCK	22111-3C110 or LH-K8, 22111- 3C210 or RH-K4	G6DB, 3C300, K8	HY400	
3.5 / 3467	V6	06		Santa Fe, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, Oil Filter Bracket has M16 Female Thread for Cooler	EW3	G6CU, 35D	HY405	
3.5 / 3470	V6	12-10	G	Santa Fe, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, Dual CVVT, Aluminum Block	LAMBDA2-LH- K6-1, LAMBDA2- RH-K2-1	G6DC, FFK-4	HY410	
3.5 / 3500	V6	05-02		Santa Fe, XG350, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, Water Inlet at Back of Water Pump, Oil Filter Bracket has M20 Male Thread & To 10/04, Oil Filter Bracket has M20 Male Thread, FWD	EW3	G6CU, 35D	HY415	
3.5 / 3500	V6	05-04		Santa Fe, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, From 10/04, Oil Filter Bracket has M16 Female Thread for Cooler & Oil Filter Bracket has M16 Female Thread for Cooler	EW3	G6CU, 35D	HY420	
3.8 / 3778	V6	14-12	D	Genesis, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, Dual CVVT, G.D.I., Chain Driven Cams		G6DJ	HY425	
3.8 / 3778	V6	12-06	3, C, F	Azera, Entourage, Veracruz, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, CVVT FOR INTAKE, ALUM. BLOCK & CVVT FOR INTAKE, ALUM. BLOCK, 260 HP, 5 Spd Auto Only!	2211-3C110, 2211-3C200	G6DA, 3C300	HY430	
3.8 / 3778	V6	11-09	E, F, H	Azera, Genesis, Genesis Coupe, DOHC, 24 Valves, FI, Naturally Aspirated, Gas, DUAL CVVT, 283 HP & Dual CVVT, Aluminum Block, 6 Spd Auto Only!! & CHAIN DRIVE CAMS	22111-3CAG0, 22111-3CAH0	G6DA	HY435	
4.6 / 4627	V8	12-09	F	Equus, Genesis, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, Dual CVVT, Chain Driven Cams		G8BA	HY440	
5.0 / 5038	V8	13-12	H	Equus, Genesis, DOHC, 32 Valves, FI, Naturally Aspirated, Gas, G8BE Engine			HY445	